

# EVOLUTIONARY REVOLUTIONARY

# Because There is Fire, There is Schwab.



## Protecting your business from fire doesn't have to be ugly...

or over a century, Schwab has been protecting the valuable records of businesses and residential customers world-wide with its full line of fire-proof products. Today, 21st century design principles unite form and function in our revolutionary cabinet line.

Schwab cabinets are designed to be practical, effective, and also attractive with a contemporary look to enhance your office decor.

Every Schwab cabinet is made of the highest quality materials and is engineered to meet the most stringent industry requirements for fire protection. Each comes with a standard key lock and a complete line of options and accessories to meet your individual needs.

While business fires may be ugly, protecting your business from fire doesn't have to be.



SCHWAB MEDIA CABINET MODEL 1826CTS SHOWN

# Make Schwab An Attractive Addition to Your Disaster Plan.

isaster always strikes when least expected. Don't let your business records go unprotected. Make Schwab an important part of your disaster preparedness plan. When you think of Schwab, you typically think of fire, however Schwab is also a critical safeguard for all kinds of disasters. Fires often result from broken gas mains or electrical wires during tornados, hurricanes and earthquakes. The loss of confidential information can also be a disaster.

Some businesses use off-site storage, but must sacrifice easy access to their records and then pay costly monthly fees. Schwab provides a reasonably priced alternative to off-site storage and offers you and your staff much greater convenience. In many situations a Schwab safe or cabinet compliments off-site storage, providing interim security before movement to off-site areas.

Schwab has a full line of cabinets and safes ready to shield your vital business records from destruction, and at the same time add to the attractiveness of your office.

By storing your business records in a Schwab cabinet or safe, you ensure that if there is fire in the beginning, there will be survival in the end.



... but NOT protecting it can be!



## **Locking Options:**





**Optional digital combination lock** Installed part #13-1888



**Optional dial combination lock** Installed part #13-1800



Optional digital with key locking combo Installed part #13-1890



**Optional dial combination and key lock** Installed part #13-1802

**SCHWAB MEDIA CABINET MODEL 1856CTS** 

Model 1816CN (Record) U.L. Rating 350-1 Hr., fire and impact resistant Exterior: 22 ¾"W x 22 ½"H x 24"D Interior: 18 ¼"W x 16"H x 18"D Weight: 330 lbs.

Model 1816CTS (Media) U.L. Rating 125-1 Hr., fire and impact resistant Exterior: 22 ¼"W x 22 ½"H x 24"D Interior: 12 7/8"W x 10 ½"H x 13"D Weight: 350 lbs.

Model 1821CN (Record) U.L. Rating 350-1 Hr., fire and impact resistant Exterior: 22 ¾"W x 27 ½"H x 24"D Interior: 18 ¼"W x 21"H x 18"D Weight: 375 lbs.

Model 1821CTS (Media) U.L. Rating 125-1 Hr., fire and impact resistant Exterior: 22 ¼"W x 27 ½"H x 24"D Interior: 12 7/8"W x 15 ½"H x 13"D Weight: 431 lbs.

Model 1826CN (Record) U.L. Rating 350-1 Hr., fire and impact resistant Exterior: 22 ¾"W x 32 ½"H x 24"D Interior: 18 ¼"W x 26"H x 18"D Weight: 420 lbs.

Model 1826CTS (Media) U.L. Rating 125-1 Hr., fire and impact resistant Exterior: 22 ¼"W x 32 ½"H x 24"D Interior: 12 7/s"W x 20 ½"H x 13"D Weight: 483 lbs.

**Model 1831CN (Record)** U.L. Rating 350-1 Hr., fire and impact resistant Exterior: 22 <sup>3</sup>/<sub>4</sub>"W x 37 <sup>1</sup>/<sub>2</sub>"H x 24"D Interior: 18 <sup>1</sup>/<sub>4</sub>"W x 31"H x 18"D Weight: 460 lbs.


Model 1831CTS (Media) U.L. Rating 125-1 Hr., fire and impact resistant Exterior: 22 ¼"W x 37 ½"H x 24"D Interior: 12 7/8"W x 25 ½"H x 13"D Weight: 529 lbs.













**SCHWAB MEDIA CABINET MODEL 1826CTS WITH OPTIONAL ACCESSORIES** 

Model 1844CN (Record)\* U.L. Rating 350-1 Hr., fire and impact resistant Exterior: 22 ¾"W x 50 ½"H x 24"D Interior: 18 ¼"W x 44"H x 18"D Weight: 575 lbs.


 Model
 1844CTS (Media)\*

 U.L. Rating 125-1 Hr., fire and impact resistant
 Exterior: 22 ¼"W x 50 ½"H x 24"D

 Exterior:
 22 ¼"W x 50 ½"H x 24"D

 Interior:
 12 ½"W x 38 ½"H x 13"D


 Weight:
 661 lbs.



## Model 1856CN (Record)\* U.L. Rating 350-1 Hr.,


Fire and impact resistant Exterior: 22 ¾"W x 62 ½"H x 24"D Interior: 18 ¼"W x 56"H x 18"D Weight: 680 lbs.

Model 1856CTS (Media)\* U.L. Rating 125-1 Hr., fire and impact resistant Exterior: 22 ¾"W x 62 ½"H x 24"D Interior: 12 7/s"W x 50 ½"H x 13"D Weight: 806 lbs.



\* Caster base not available on these models due to tipping hazard

\*\*CS+ models available in off-white only



Each cabinet is available in two attractive colors - off-white and gray\*\*. Trimmed in charcoal, the result has a contemporary and aesthetically pleasing look. Caster base and/or floor mounts are optional accessories for most Schwab cabinets.

## **Protection** With Style!

## Schwab cabinets are available to protect paper documents or computer media.

Very Schwab cabinet is engineered to meet the highest industry requirements for fire protection. But fire-insulated cabinets or safes designed for storage of paper records cannot provide adequate protection for computer media. That's why Schwab offers a complete line of record and media cabinets.

Choose the model that will best satisfy your needs.

should look like, but they remain as tough as ever.

This beauty is a beast!



## Customize Your Record Cabinet.

## Available accessories.

A Ithough Schwab record cabinets come with standard interiors, you may customize yours from our complete line of accessories.

Just as no two businesses are alike, neither are their record storage requirements. At Schwab, we've developed a complete line of accessories to meet those varied needs. Schwab cabinets come standard with our most versatile interiors. You may also select from additional accessories depending on whether your records are letter or legal size or are stored as computer printouts. Roll-out shelves and flat drawers with locks are secure, convenient and preferred by many of our customers. Choose the record safe accessories that are best for you.

# Media COOLER<sup>®</sup> gives you special protection.

# The Schwab Media

**COOLER®** can turn your record cabinet or safe into one which protects computer media too! Cassettes, cartridges, disks and diskettes fit easily into this compact and economical case. When the COOLER is placed inside any Schwab U.L. Class 350 rated product, your computer media is then protected as well.

Schwab's Media COOLER has a spring loaded latch that automatically seals when the lid is closed.



## **Maximum Capacities**

1/4" Tape Cassettes:	24
3480 Cartridges:	12
5 ¼" Diskettes:	96
3 1/2" Diskettes:	90
1/4" Tape Cartridge:	12
5 ¼" Optical Disks:	22
Compact Disks/DVDs:	20
8mm Cartridges	20
4mm Cartridges	40
JAZ	9
ZIP	28

**Specifications** Exterior: 12¼"W x 10"H x 10"D Interior: 8¾"W x 6½"H x 6³/4"D Weight: 15 lbs.

### Schwab's Media COOLER® An excellent addition to your record cabinet.



SCHWAB RECORD CABINET MODEL 1856CN

### **Standard Interiors**

Listed below are the standard interiors for each model.

Models 1816CN, 1821CN, 1826CN: 1 flat drawer with lock 1 adjustable shelf

Model 1831CN: 2 adjustable shelves

Model 1844CN: 3 adjustable shelves

Model 1856CN: 4 adjustable shelves



Roll-Out Shelf Extending out on a smooth ball-bearing suspension, this shelf permits easy access to its entire contents. Accidental removal is prevented by a positive stop. Height required: 4¼" Installed part #13-1814



SCHWAB RECORD CABINET MODEL 1831CN



SCHWAB RECORD CABINET MODEL 1844CN



SCHWAB RECORD CABINET MODEL 1826CN



Adjustable Shelf Flat shelf adjusts at ¼" intervals. Height required: 1¼" Installed part #13-1813



**Legal Drawer With Lock** Full legal size, this drawer is fur-nished with a handle, label holder, follower block and lock. Full extension is smooth on a ball-bearing suspension. Inside dimensions: 15½" W x 11¼"H x 16¼"D Height required: 13½" Installed part #13-1816



Flat Drawer With Lock Complete with handle and key lock, this drawer can be conveniently used with removable cash tray or check tray. Inside dimensions: 16 ½" W x 3 ¼"H x 17 ¼"D Height required: 5" Installed part #13-1815



**Printout Bar With Shelf** Printout Bar With Shelf Convenient for many uses, this adjustable shelf may be moved at ½" intervals. The attached hanger bar allows for efficient storage of printout binders. Height required: 13½" Installed part #13-1817



6" Tray Ideal for filing media. Includes three follower blocks. Two trays can be used on an adjustable shelf or one tray on a roll-out shelf. Tray can hold 150 5 ¼" diskettes, 15 8mm cartridges, 12 3480 cartridges, 9 TK50/70 cartridges or DLT, 30 compact discs or DVD's, 32 5 ¼" ontical disks

both both the second s



Spans entire interior and extends completely on a ball-bearing suspension. For storage of a variety of media. Includes six dividers. Holds same capacities as the multi-media tray. Height required per level: media height plus 1". Installed part #13-1811



Tape Seal Hanger Bar With ShelfFor tape in seals. Significantlyincreases storage capacity.Adjustable at ¼" intervals. Holds upto 12 tape reels per bar.Height required per level: reeldiameter plus 1".Installed part #13-1812





Multi-Media Tray Multi-media tray spans cabinet interior for a wide variety of storage uses. For adjustable shelf only. Includes six dividers. Tray can hold 276 3 ½" diskettes, 292 5 ¼" diskettes, 57 4mm cartridges, 36 8mm cartridges, 60 ¼" tape cassettes, 22 3480 cartridges, 18 TK50/70 cartridges or DLT, 52 ZIP, 28 JAZ, 64 5 ¼"optical disks, 13 ¼" tape cartridges, 60 compact discs or a combination of the above. Height required per level: media height plus 1". height plus 1" Installed part #13-1808



Flat shelf adjusts at ¼" intervals. Height required per level: 1 ¼" Installed part #13-1809



**4" Tray** Includes three dividers to keep contents easily accessible. Three trays can be placed on a roll-out or adjustable shelf. Tray can hold **92** 3 ½" diskettes, **19** 4mm cartridges or **18** ¼" tape cassettes. Height required per level: 4 ¾" Installed part #13-1806



Roll-Out Shelf Shelf extends completely on a ball-bearing suspension. Height required per level: media height plus 1". Installed part #13-1810 For that extra protection media requires.

**Never Looked So Good!** 

CHWAB MEDIA CABINET MODE

1826CTS SHOWN WITH INTERIOR OPTIONS

hile paper records can withstand temperatures to 350° F, computer media is damaged beyond use by temperatures above 125° F and 80% humidity. Microfiche, film and computer media require the added protection that a Schwab media cabinet offers.

Media cabinets can be configured in a variety of ways to meet your specific storage needs. For your added convenience, these accessories can be easily changed as storage requirements evolve.

Maximum Capacity For Media						
Media Type	1816CTS	1821CTS	1826CTS	1831CTS	1844CTS	1856CTS
5¼" Diskettes	300	600	900	1,200	1,800	2,400
3 <sup>1</sup> / <sub>2</sub> " Diskettes	552	828	1,104	1,380	2,208	3,036
4mm Cart.	114	171	285	342	513	684
8mm Cart.	60	90	150	180	270	360
3480 Cart.	24	48	72	96	144	192
TK50/70 Cart.	36	36	54	72	126	162
DLT	36	36	54	72	126	162
1⁄2" DLT	32	48	64	80	112	160
1/4" Tape Cart.	26	39	52	65	91	130
<sup>1</sup> / <sub>4</sub> " Tape Cass.	72	108	180	216	324	432
5¼" Opt. Disk	64	128	192	256	384	512
4 x 6" Microfiche	4,824	7,236	9,648	12,060	16,884	24,120
CD/DVD w/case	60	120	180	180	300	420
ZIP	104	156	208	260	364	520
JAZ	28	56	84	112	168	224

# "You're Fired!" The last thing you want to hear, may save your business.

Imagine... Everything lost. Just like that. It CAN happen. Irretrievable client files, bank statements, accounting records... THESE ARE YOUR VITAL RECORDS. What would it mean to your company if these documents were destroyed by fire?

## 90% of businesses that lose their vital records discontinue operations within two years!


Securing an enterprise involves more than just insurance policies; many documents and computer data simply cannot be replaced. Incorporating Schwab's fireproof products in a company's disaster prevention plan can mean the difference between total devastation and a starting point from which to

F

**ire could destroy your business.** In fact, eight businesses burn almost every hour in the United States resulting in over \$2.3 billion in annual losses\*. Unfortunately, **seven out of ten** have not adequately protected their vital records.

Don't be one of those businesses that gets hit by fire and loses customer, personnel and tax files, accounts receivable and records of compliance. When that information is destroyed, a business often fails. Survival is possible, but preparation is necessary.

How long do you think paper records will last in a standard metal file cabinet at 800° F? Or how much information will you be able to retrieve when a disk has been



soaked in water? It's not just fire, but the resulting heat, smoke and water that must be guarded against, too. Schwab has developed quality insulated files that provide guaranteed protection against these elements for paper, diskettes, tape cartridges, CDs and all

other forms of media in today's workplace.

The average business fire burns at approximately 800° F, and peaks within 10-15 minutes\*\*. Schwab's insulated files are Underwriters Laboratories (UL) classified to provide protection at temperatures reaching 1700° F during a one-hour test. The UL label carries the assurance that Schwab files have passed the test. Schwab's label guarantees that the contents are safe.



In addition to our UL Class 350 - 1 hour rated products, which assure you that their internal temperatures will not rise above 350° F when exposed to a fire in excess



of 1700° F for one hour, Schwab also offers UL Class 125-1 hour rated products for the protection of media in many of our storage applications. This rating certifies the product will maintain an internal temperature below 125° F and not exceed 80% humidity when exposed to

1700° F over a period of one hour - which is the necessary environment to properly protect and store media.

So whether your vital records storage needs are for paper documents or electronic media, you stand protected with a Schwab fireproof storage product.

\*Source: National Fire Protection Association Fire Loss in the U.S. During 2004 Abridged Report. \*\*Source: www.fema.gov: Overview of Fire Protection In Buildings -Figure A-1 Heat release rate for office module (Madrzykowski 1996).





Leo Schwab - Founder, Circa 1872.

## A Schwab Safe Means Peace of Mind.

# A variety of sizes offers a multitude of configurations.

Dince 1872, Schwab Corp. has been manufacturing products to protect the valuables of banks, schools, hospitals and residential customers worldwide. You will find comfort in knowing that your Schwab FireGuard<sup>®</sup> Safe draws from well over a century of product development and manufacturing experience. FireGuard Safes are designed to handle the record protection needs of any business. A U.L. rating for fire and impact resistance accompanies every Schwab safe. From the smallest to the largest capacity safes on the market, a Schwab safe means peace of mind. In addition, Schwab offers the widest selection of American made record protection products.

### Safe and sound.

FireGuard Safes are equipped with a Group 2 key-change combination lock and a U.L. certified re-locking device to set the bolts if the lock is punched in a burglary attempt. Optional digital locks, x-ray proof locks, or key-locking combination dials provide added security against theft or espionage. Schwab FireGuard Safes are available in five standard colors: gray, charcoal, off-white, tan, and putty.







 Model
 2532CTS (Media)

 U.L. Rating 125-1 Hr., fire and impact resistant

 Exterior:
 30 ¾"W x 41 ½"H x 31 ¾"D

 Interior:
 19"W x 27"H x 16 ¼"D

 Weight:
 921 lbs.



Model 2557CTS (Media) U.L. Rating 150-1 Hr., fire and impact resistant Exterior: 30 <sup>3</sup>/<sub>4</sub>"W x 66 <sup>1</sup>/<sub>4</sub>"H x 31 <sup>3</sup>/<sub>4</sub>"D

Exterior: 30 %"W x 66 ¼"H x 31 ¾"D Interior: 19"W x 52"H x 16 ¼"D Weight: 1,350 lbs.

### Model 2557CN (Record) U.L. Rating 350-1 Hr., fire and impact

resistant Exterior: 30 ¾"W x 66 ¼"H x 31 ¾"D Interior: 25 ¼"W x 57 ¼"H x 23 ½"D Weight: 1,078 lbs.



"The Boys"- circa 1930 prior to fire testing. See photos of testing at right. Please note the Schwab safe is still standing in picture 4.




 Model 3660CN (Record)


 U.L.Rating 350-1 Hr., fire and impact resistant

 Exterior: 42 ½"W x 69"H x 26 ¾"D

 Interior: 36"W x 60"H x 18 ½"D

 Weight: 1,317 lbs.





Stage 1



Stage 2



Stage 3



Stage 4 Still Standing

Model 4068CTS (Media) U.L. Rating 125-1 Hr., fire and impact resistant Exterior: 47"W x 77 ¼"H x 31 ¾"D Interior: 34"W x 63"H x 16 ¼"D Weight: 2,190 lbs.

**Model 4068CN (Record)** U.L.Rating 350-1 Hr., fire and impact resistant Exterior: 47"W x 77 ¼"H x 31 ¾"D Interior: 40 ¾"W x 68 ¼"H x 23 ½"D Weight: 1,744 lbs.

10

## Interior Components For Record Safes.

# Organize, secure and protect with Schwab record safes.

All Schwab FireGuard<sup>®</sup> record safes have passed rigorous fire endurance tests and bear Underwriter Laboratories' 350°-1 Hour Fire and Impact Resistant label. This means that the safe's interior temperature will remain below 350°F (well below the char point of paper) upon exposure to temperatures reaching 1700°F for one hour.

It also certifies that Schwab FireGuard Safes will survive a drop of 30 feet into rubble during a fire, such as a fall through burning floors.

Schwab record safe interior components are constructed of welded steel and finished in attractive, durable air-dried enamel paint. They can be used in a variety of functional configurations.



**3660CN** WITH OPTIONAL SIDE TAB FILING

## Side tab interior option

ide Tab interior option provides certified, pointof-use fire protection for vital business records. It offers 34 inches of filing space on each of five shelves. You can have your choice of stationary or pull-out shelves which are adjustable to either legal or letter size depths. Available only for model **3660CN** record safe. Each shelf includes three sliding dividers to keep file folders upright. Additional dividers may be purchased.

Side tab interior option with stationary shelves Installed part #13-5795 Side tab interior option with roll out shelves Installed part #13-5789



SCHWAB RECORD SAFE 2557CN SHOWN WITH OPTIONAL KEY LOCKING HANDLE



### Locker

Furnished with key lock, this locker makes storage both organized and secure. Size: 12" x 16" locker Inside dimensions: 16 1/8"W x 12 ¼"H x 16 7/8"D Installed part #13-4992



### Adjustable Shelve

Available in four sizes for 18", 25", 36" and 40" wide safes. Shelves may be adjusted at ¼" intervals, and added or removed as required. Installed part #: 13-6045 (25 1/8"W) 13-4472 (36"W) 13-6048 (40 3/8"W)



# SCHWAB RECORD SAFE 3660CN SHOWN WITH OPTIONAL ADJUSTABLE SHELF AND LATERAL DRAWERS.

36" lateral drawers are available for 36"W safe only. Installed part

ŧ:	13-5703	(1 drawer)
	13-5660	(2 drawers)
	13-5679	(3 drawers)
		(4 drawers)
	13-5670	(5 drawers)



Removable Trays For use inside flat drawers, the cash tray or check tray is extremely handy. The check tray shown above will accommodate two rows of checks up to 8 ¼" wide and 3 ¾" high. Installed part #13-4981 Cash tray (not shown) Installed part #13-4980



Flat Drawer Complete with handle and key lock, this flat drawer can be used with re-movable cash tray or check tray. Inside dimensions:  $16 \frac{1}{2}$ "W x  $3 \frac{1}{2}$ "H x  $16 \frac{3}{2}$ "D Installed part #13-4979

Media COOLER® An excellent addition to your record safe is the Schwab Media COOLER (See Page 5).



Card Drawers Available to accommodate 3" x 5" filing cards. Our card drawers include handles and follower blocks which keep all contents up front and easy to reach. 3 - 3" x 5" Drawers Inside dimensions: 5 ¼"W x 3 ¼"H x 13 ¾"D Installed part #13-4972



Files Available in two sizes, each is furnished with handle, label holder and follower block. Full extension ball-bearing suspension makes access smooth and easy. Inside dimensions (legal): 15 ½"W x 11 ¼"H x 16 ¼"D Inside dimensions (lateral): 31 3/8"W x 10 ¼"H x 15"D Installed part # 13-4993 13-4994 with lock 13-4994 with lock

## Media Protection At Its Best!

A variety of interior components allow FireGuard<sup>®</sup> media safes to be customized to your specific application. These components can be easily changed as storage requirements evolve.



Storage Racks Keep media upright. Three styles available. Each requires use with roll-out shelf.

For 16mm Microfilm: Height required per level: 4¼"

**90** boxes per level in the **4068CTS** and the **4057CTS**. Installed part #13-6831

**52** boxes per level in the **2557CTS** and the **2532CTS**. Installed part #13-6830 For 3480 Cartridges: Height required per level: 5¼"

**81** cartridges per level in the **4068CTS** Installed part #13-6843

**42** cartridges per level in the **2557CTS** and the **2532CTS**. Installed part # 13-6842

For ¼" Tape Cartridges: Height required per level: 4½"

**56** cartridges per level in the **4068CTS** Installed part #13-6837.

**30** cartridges per level in the **2557CTS** and the **2532CTS**. Installed part #13-6836



### 4 1/2" Tray

For TK50/70 cartridges or 8mm cartridges. Tray is portable. Includes one divider; extra dividers are available. Holds **11** TK50/70 cartridges per tray or **18** 8mm cartridges per tray. Seven trays per shelf in the **4068CTS**.

Four trays per adjustable shelf; three trays per roll out shelf in the 2557CTS and the 2532CTS. Height required per level: 4 ¼" - 5 ¼" Installed part #13-6791

### **Maximum Capacities for Media** Media Type 2532CTS 2557CTS 4068CTS 5 ¼" Diskettes 2,376 4.752 9,900 3 <sup>1</sup>/<sub>2</sub>" Diskettes 2,928 5,856 15,372 4mm Cartridges 875 1,625 4,000 8mm Cartridges 560 1,040 2,560 3480 Cartridges 240 540 1,155 TK50/70 Cartridges 180 360 1,008 DLT 180 360 1,008 1/2" DLT 150 300 840 1/4" Tape Cartridges 180 396 1,170 1/4" Tape Cassettes 672 1,248 2,558 16mm Microfilm 360 660 1,680 5 1/4" Optical Disks 504 1,008 2,520 4" x 6" Microfiche 23,805 47,610 103,155 **Aperture Cards** 16,416 35,568 74,200 CDs/DVDs w/case 468 936 2,340 ZIP 680 1,360 3,094 JAZ 216 432 1,080





4" Tray For 3 ½" diskettes or 4mm car-tridges. Tray is portable. Includes one divider; extra dividers are available. Holds 114 3 ½" diskettes or 29 cartridges per tray. Eight trays per shelf in the 4068CTS. Four trays per shelf in the 2557CTS or the 2532CTS. Hoight required per level: 4 3/" Height required per level: 4 ¾" Installed part #13-6244



### 7 2/3" Tray

For Aperture Cards. Removable tray has adjustable follower block. Holds **1,368** cards per tray. Four trays per shelf in the **4068CTS**. Two trays per shelf in the **2557CTS** and the **2532CTS**. Height required per level: 4 <sup>3</sup>/<sub>4</sub>" Installed part #13-6242

**Adjustable Shelf** Adjustable at ¼" intervals. Height required: media height plus 1/2 Installed part #13-6771 (4068) Installed part #13-5827 (2557, 2532)



### **Roll-Out Shelf**

Extends completely on ball-bearing suspension. Positive stop prevents accidental removal. Height required: media height plus ½" (minimum level height-3 ¾") Installed part #13-6772 (4068) #13-5828 (2557, 2532)



### 6 1/4" Tray

6 ¼" Tray For microfiche, 5 ¼" diskettes, com-pact discs or 5 ¼" optical disks. Tray is portable. Includes one divider; extra dividers are available. Holds **1,329** microfiche, **166** 5 ¼" diskettes per tray, **35** optical disks, or **32** CDs/ DVDs per tray. Five trays per shelf in the **4068CTS**. Three trays per adjustable shelf, or two trays per roll-out shelf in the **2557CTS** and the **2532CTS**. Height required per level: 5" - 7" Installed part #13-6154

